

## Contents

### iii Graphical Abstracts

#### Regular papers

- C. Lièvre, C. Fréchu et G. Demailly (Amiens, France) 1 Réaction d'aldoses partiellement protégés avec des ylures d'arsenic stabilisés: synthèse de dérivés insaturés *E* acycliques et de dérivés *C*-glycosyle
- N. Mignet (Hayward, CA, USA), C. Chaix (Lyon, France), B. Rayner and J.-L. Imbach (Montpellier, France) 17 Synthesis and evaluation of glucuronic acid derivatives as alkylating agents for the reversible masking of internucleoside groups of antisense oligonucleotides
- S. Bay (Paris, France), O. Berthier-Vergnes (Lyon, France), V. Biberovic and D. Cantacuzène (Paris, France) 25 Unusual lactam formation occurring in the synthesis of a biotinylated T-antigen–serine derivative
- C. Liang, T. Ma, J.S. Cooperwood, J. Du and C.K. Chu (Athens, GA, USA) 33 Synthesis of L-ribofuranosyl *C*-nucleosides
- L. Lay, R. Windmüller, S. Reinhardt and R.R. Schmidt (Konstanz, Germany) 39 A simple access to lactose-derived building blocks required in glycoconjugate synthesis
- C. Malet and O. Hindsgaul (Edmonton, Canada) 51 Generation of molecular diversity on *N*-acetylglucosamine via *O*-cyanomethyl ethers
- O. Ahrazem, A. Prieto, J.A. Leal, B. Gómez-Miranda, J. Domenech, J. Jiménez-Barbero and M. Bernabé (Madrid, Spain) 67 Structural elucidation of acidic fungal polysaccharides isolated from the cell-wall of genera *Cylindrocium* and *Calonectria*
- E.R. Arndt and E.S. Stevens (Binghamton, NY, USA) 73 Anhydro sugar and linkage contributions to circular dichroism of agarose and carrageenan, with conformational implications
- I.M. Sims (Parkville, Australia), D.J. Craik (St. Lucia, Australia) and A. Bacic (Parkville, Australia) 79 Structural characterisation of galactoglucomannan secreted by suspension-cultured cells of *Nicotiana glauca*
- A.I. Usov, M.I. Bilan and A.S. Shashkov (Moscow, Russia) 93 Structure of a sulfated xylogalactan from the calcareous red alga *Corallina pilulifera* P. et R. (Rhodophyta, Corallinales)
- J. Lee and R.I. Hollingsworth (East Lansing, MI, USA) 103 Confirmation and complete  $^1\text{H}$  and  $^{13}\text{C}$  NMR assignment of the structure of peptidoglycan from *Sarcina ventriculi*, a highly adaptable Gram-positive bacterium

#### Notes

- T.-W. Cai, J.-M. Min and L.-H. Zhang (Beijing, China) 113 Synthesis of lactosyl phosphate diester derivatives of nucleosides
- J. Kovensky and A. Fernández Cirelli (Buenos Aires, Argentina) 119 Chemical modification of glycosaminoglycans. Selective 2-sulfation of D-glucuronic acid units in heparan sulfate
- T. Michaud, J. Chanet-Ray, S. Chou and J. Gelas (Aubière, France) 123 Synthesis of new enantiomerically pure polyhydroxylated azetidines from monosaccharides

### iii Graphical Abstracts

#### Rapid Communications

- H. Ishida, H. Hosokawa (Gifu, Japan), H. Kondo (Osaka, Japan), M. Kiso and A. Hasegawa (Gifu, Japan) 131 Synthesis of the 3'-*C*-carboxymethyl Lewis X derivative: a novel selectin blocker

## Contents

### iii Graphical Abstracts

#### Regular papers

- C. Lièvre, C. Fréchu et G. Demailly (Amiens, France) 1 Réaction d'aldoses partiellement protégés avec des ylures d'arsenic stabilisés: synthèse de dérivés insaturés *E* acycliques et de dérivés *C*-glycosyle
- N. Mignet (Hayward, CA, USA), C. Chaix (Lyon, France), B. Rayner and J.-L. Imbach (Montpellier, France) 17 Synthesis and evaluation of glucuronic acid derivatives as alkylating agents for the reversible masking of internucleoside groups of antisense oligonucleotides
- S. Bay (Paris, France), O. Berthier-Vergnes (Lyon, France), V. Biberovic and D. Cantacuzène (Paris, France) 25 Unusual lactam formation occurring in the synthesis of a biotinylated T-antigen-serine derivative
- C. Liang, T. Ma, J.S. Cooperwood, J. Du and C.K. Chu (Athens, GA, USA) 33 Synthesis of L-ribofuranosyl *C*-nucleosides
- L. Lay, R. Windmüller, S. Reinhardt and R.R. Schmidt (Konstanz, Germany) 39 A simple access to lactose-derived building blocks required in glycoconjugate synthesis
- C. Malet and O. Hindsgaul (Edmonton, Canada) 51 Generation of molecular diversity on *N*-acetylglucosamine via *O*-cyanomethyl ethers
- O. Ahrazem, A. Prieto, J.A. Leal, B. Gómez-Miranda, J. Domenech, J. Jiménez-Barbero and M. Bernabé (Madrid, Spain) 67 Structural elucidation of acidic fungal polysaccharides isolated from the cell-wall of genera *Cylindrocium* and *Calonectria*
- E.R. Arndt and E.S. Stevens (Binghamton, NY, USA) 73 Anhydro sugar and linkage contributions to circular dichroism of agarose and carrageenan, with conformational implications
- I.M. Sims (Parkville, Australia), D.J. Craik (St. Lucia, Australia) and A. Bacic (Parkville, Australia) 79 Structural characterisation of galactoglucomannan secreted by suspension-cultured cells of *Nicotiana glauca*
- A.I. Usov, M.I. Bilan and A.S. Shashkov (Moscow, Russia) 93 Structure of a sulfated xylogalactan from the calcareous red alga *Corallina pilulifera* P. et R. (Rhodophyta, Corallinales)
- J. Lee and R.I. Hollingsworth (East Lansing, MI, USA) 103 Confirmation and complete  $^1\text{H}$  and  $^{13}\text{C}$  NMR assignment of the structure of peptidoglycan from *Sarcina ventriculi*, a highly adaptable Gram-positive bacterium

#### Notes

- T.-W. Cai, J.-M. Min and L.-H. Zhang (Beijing, China) 113 Synthesis of lactosyl phosphate diester derivatives of nucleosides
- J. Kovensky and A. Fernández Cirelli (Buenos Aires, Argentina) 119 Chemical modification of glycosaminoglycans. Selective 2-sulfation of D-glucuronic acid units in heparan sulfate
- T. Michaud, J. Chanet-Ray, S. Chou and J. Gelas (Aubière, France) 123 Synthesis of new enantiomerically pure polyhydroxylated azetidines from monosaccharides

### iii Graphical Abstracts

#### Rapid Communications

- H. Ishida, H. Hosokawa (Gifu, Japan), H. Kondo (Osaka, Japan), M. Kiso and A. Hasegawa (Gifu, Japan) 131 Synthesis of the 3'-*C*-carboxymethyl Lewis X derivative: a novel selectin blocker

## Regular papers

- A.M. Peres and E.A. Macedo (Porto, Portugal) 135 Phase equilibria of D-glucose and sucrose in mixed solvent mixtures: Comparison of UNIQUAC <sup>1</sup>-based models
- B.M. Praest, H. Greiling and R. Kock (Aachen, Germany) 153 Effects of oxygen-derived free radicals on the molecular weight and the polydispersity of hyaluronan solutions
- J. Besson, C. Fayet and J. Gelas (Aubière, France) 159 The introduction of an hydrophobic chain on  $\alpha$ , $\alpha$ -trehalose via the synthesis of acetals. The detergent properties of these derivatives
- V. Pozsgay, E.P. Dubois (Bethesda, MD, USA), H. Lotter (München, Germany) and A. Neszmélyi (Budapest, Hungary) 165 Synthesis and X-ray crystallographic study of cyclobis-(1  $\rightarrow$  2)- $\alpha$ -D-glucopyranosyl peracetate
- J.H. Vleeming, B.F.M. Kuster and G.B. Marin (Eindhoven, The Netherlands) 175 Oxidation of methyl and *n*-octyl  $\alpha$ -D-glucopyranoside over graphite-supported platinum catalysts: effect of the alkyl substituent on activity and selectivity
- C. Choquet-Farnier, I. Stasik and D. Beaupère (Amiens, France) 185 A two step synthesis of 3-deoxy-D- or L-glycono-1,4-lactones and 2-O-alkyl-3-deoxy-D-glycono-1,4-lactones from D- or L-glyconolactones
- L. Zhang, Q. Ding, P. Zhang (Wuhan, China), R. Zhu and Y. Zhou (Beijing, China) 193 Molecular weight and aggregation behaviour in solution of  $\beta$ -D-glucan from *Poria cocos* sclerotium
- R.H. Tromp, R. Parker and S.G. Ring (Norwich, UK) 199 Water diffusion in glasses of carbohydrates
- S.M. Pitson, A.G.J. Voragen, J.-P. Vincken and G. Beldman (Wageningen, The Netherlands) 207 Action patterns and mapping of the substrate-binding regions of endo-(1  $\rightarrow$  5)- $\alpha$ -L-arabinanases from *Aspergillus niger* and *Aspergillus aculeatus*
- T. Suganuma, Y. Maeda, K. Kitahara and T. Nagahama (Kagoshima, Japan) 219 Study of the action of human salivary alpha-amylase on 2-chloro-4-nitrophenyl  $\alpha$ -maltotrioxide in the presence of potassium thiocyanate

## Notes

- Y. Bahaddi, F. Lelièvre, P. Gareil (Paris, France), J. Maignan (Aulnay, France) and H. Galons (Paris, France) 229 Preparation and complexation ability of zwitterionic derivatives of cyclodextrins
- M.S. Buckeridge (São Paulo, Brazil), H.J. Crombie (Stirling, UK), C.J.M. Mendes (São Paulo, Brazil), J.S.G. Reid (Stirling, UK), M.J. Gidley (Bedford, UK) and C.C.J. Vieira (São Paulo, Brazil) 233 A new family of oligosaccharides from the xyloglucan of *Hymenaea courbaril* L. (Leguminosae) cotyledons
- G. Hodosi and P. Kováč (Bethesda, MD, USA) 239 Manipulation of free carbohydrates via stannylene acetals. Preparation of  $\beta$ -per-O-acyl derivatives of D-mannose, L-rhamnose, 6-O-trityl-D-talose, and D-lyxose
- L. Galbraith and S.G. Wilkinson (Hull, UK) 245 Structural studies of the O-specific side-chain of lipopolysaccharide from *Burkholderia gladioli* pv. *gladioli* strain NCPPB 1891

## iii Graphical Abstracts

## Rapid Communication

- A.N. Round, A.J. MacDougall, S.G. Ring and V.J. Morris (Norwich, UK) 251 Unexpected branching in pectin observed by atomic force microscopy

## Regular papers

- K. Piyachomkwan, K.P. Gable and M.H. Penner (Corvallis, OR, USA) 255 *p*-Aminophenyl 1-thio- $\beta$ -D-cellobioside: Synthesis and application in affinity chromatography of exo-type cellulases
- X.-X. Zhu, M.-S. Cai and R.-L. Zhou (Beijing, PR China) 261 Studies on the synthesis of two tetrasaccharides and the reactivity difference between them

A. El Nemr and T. Tsuchiya (Kawasaki, Japan)	267	$\alpha$ - And $\beta$ -hydrogen eliminations in the reactions of some 3-O-triflylglycosides with <sup>1</sup> BuOK and pyridine
P.-P. Lu, O. Hindsgaul, H. Li and M.M. Palcic (Alberta, Canada)	283	Synthesis and evaluation of eight aminodeoxy trisaccharide inhibitors for <i>N</i> -acetylglucosaminyltransferase-V
F.W. Lichtenthaler and S. Mondel (Darmstadt, Germany)	293	<i>manno</i> - and <i>altro</i> -Sucrose, and some amino-analogues
K.N. Price, A. Tuinman, D.C. Baker (Knoxville, TN, USA), C. Chisena and R.L. Cysyk (Bethesda, MD, USA)	303	Isolation and characterization by electrospray-ionization mass spectrometry and high-performance anion-exchange chromatography of oligosaccharides derived from hyaluronic acid by hyaluronate lyase digestion: Observation of some heretofore unobserved oligosaccharides that contain an odd number of units
M. Batley, J.W. Redmond, N.H. Packer (Macquarie, Australia), D. Liu and P. Reeves (Sydney, Australia)	313	The relationship between the structures of the O polysaccharides from <i>Escherichia coli</i> O17 and O16
H. Parolis, L.A.S. Parolis and G. Olivieri (Grahamstown, South Africa)	319	Structural studies on the <i>Shigella</i> -like <i>Escherichia coli</i> O121 O-specific polysaccharide
K.L.B. Chang, G. Tsai, J. Lee and W.-R. Fu (Keelung, Taiwan, ROC)	327	Heterogeneous <i>N</i> -deacetylation of chitin in alkaline solution
A.S. Shashkov, S.N. Senchenkova (Moscow, Russian Federation), E.L. Nazarenko, V.A. Zubkov, N.M. Gorshkova (Vladivostok, Russian Federation), Y.A. Knirel (Moscow, Russian Federation) and R.P. Gorshkova (Vladivostok, Russian Federation)	333	Structure of a phosphorylated polysaccharide from <i>Shewanella putrefaciens</i> strain S29
P. Finch and J.H. Yoon (Surrey, UK)	339	The effects of organic solvents on the synthesis of galactose disaccharides using $\beta$ -galactosidases

## Notes

K.D. Goggin, J.F. Lambert and S.W. Walinsky (Groton, CT, USA)	347	Thermal glycosylations: Reactions of $\beta$ -cellobiosyl fluoride heptaacetate with tigogenin and its trimethylsilyl ether
K. Tokuyasu, H. Ono, M. Ohnishi-Kameyama, K. Hayashi and Y. Mori (Ibaraki, Japan)	353	Deacetylation of chitin oligosaccharides of dp 2-4 by chitin deacetylase from <i>Colletotrichum lindemuthianum</i>
C. Crombez-Robert, M. Benazza, C. Fréchet and G. Demailly (Amiens, France)	359	Efficient synthesis of $\alpha,\omega$ -dibromodideoxyalditols as precursors for $\alpha,\omega$ -dithioalkylalditols
J.L. Jiménez Blanco, J.M. García Fernández (Sevilla, Spain), A. Gadelle and J. Defaye (Meylan, France)	367	A mild one-step selective conversion of primary hydroxyl groups into azides in mono- and oligo-saccharides
Z.-W. Guo, Y. Nakahara, Y. Nakahara (Saitama, Japan) and T. Ogawa (Saitama, Tokyo, Japan)	373	Solid-phase synthesis of a glycosylated peptide fragment of the IL-8 receptor containing two vicinal oligosaccharide chains

## iii Graphical Abstracts

## Regular papers

L. Catoire, V. Michon, L. Monville, A. Hocquet, L. Jullien, J. Canceill, J.-M. Lehn (Paris, France), M. Piotto (Wisssembourg, France) and C. Hervé du Penhoat (Paris, France)	379	Dynamic behavior of a perfunctionalized $\beta$ -cyclodextrin as probed by NMR and molecular modeling
L. Rochepeau-Jobron and J.-C. Jacquinet (Orléans, France)	395	Diastereoselective hydroboration of substituted <i>exo</i> -glucals revisited. A convenient route for the preparation of L-iduronic acid derivatives
E. Farkas, L. Jánossy, J. Harangi, L. Kandra and A. Lipták (Debrecen, Hungary)	407	Synthesis of chromogenic substrates of $\alpha$ -amylases on a cyclodextrin basis

- A. Fernandez Cirelli (Buenos Aires, Argentina), H. Mohn (Münster, Germany) and J. Thiem (Hamburg, Germany) 417 Synthesis of thromboxane A<sub>2</sub> models from glucose
- S.A. Galema, J.B.F.N. Engberts and H.A. Van Doren (Groningen, The Netherlands) 423 Synthesis, purification and liquid-crystalline behaviour of several alkyl 1-thio-D-glycopyranosides
- A.M. Gil-Serrano, G. Franco-Rodríguez, P. Tejero-Mateo (Sevilla, Spain), J. Thomas-Oates (Utrecht, The Netherlands), H.P. Spink (Leiden, The Netherlands), J.E. Ruiz-Sainz, M. Megías and Y. Lamra-bet (Sevilla, Spain) 435 Structural determination of the lipo-chitin oligosaccharide modulation signals produced by *Rhizobium fredii* HH103

## Notes

- X. Ding, W. Wang and F. Kong (Beijing, People's Republic of China) 445 Detritylation of mono- and di-saccharide derivatives using ferric chloride hydrate
- L.N. Atopkina, N.I. Uvarova and G.B. Elyakov (Vladivostok, Russia) 449 Simplified preparation of the ginsenoside-Rh<sub>2</sub> minor saponin from ginseng
- M.T. Dueñas-Chasco (San Sebastian, Spain), M.A. Rodríguez-Carvajal, P.T. Mateo, G. Franco-Rodríguez, J.L. Espartero (Seville, Spain), A. Irastorza-Iribas (San Sebastian, Spain) and A.M. Gil-Serrano (Seville, Spain) 453 Structural analysis of the exopolysaccharide produced by *Pediococcus damnosus* 2.6
- A. Ng (Norwich, UK), R.N. Greenshields (Swansea, UK) and K.W. Waldron (Norwich, UK) 459 Oxidative cross-linking of corn bran hemicellulose: formation of ferulic acid dehydrodimers
- 463 Book review
- I Author index
- III Subject index
- X Contents of volume 303